IEEE P1003.0 Draft 13 – September 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

STANDARDS PROJECT

Draft Guide to the POSIX Open System s Environm ent

Sponsor

Technical Committee on Operating Systems and Application Environments

of the

IEEE Computer Society

Abstract: IEEE Std 1003.0-199x presents an overview of open system concepts and their application. Information is provided to persons evaluating systems on the existence of, and interrelationships among, application software standards, with the objective of enabling application portability and system interoperability. A framework is presented that identifies key information system interfaces involved in application portability and system interoperability and describes the services offered across these interfaces. Standards or standards activities associated with the services are identified where they exist, or are in progress. Gaps are identified where POSIX Open Systems Environment (OSE) requirements are not being addressed currently. Finally, the OSE profile concept is discussed with examples from several application domains.

Keywords: application portability, open systems environments, profiles, POSIX

P1003.0 / D13
Septem ber 1991

Copyright © 1991 by the Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved.

This is an unapproved IEEE Standards Draft, subject to change. Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities. Permission is also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position. Other entities seeking permission to reproduce this document for standardization or other activities, or to reproduce portions of this document for these or other uses, must contact the IEEE Standards Department for the appropriate license. Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]
September 1991 *SH XXXXX*

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Editor's Notes

This section will not appear in the final document. It is used for editorial comments concerning this draft.

Comments in italics are not intended to form part of the final guide; they are editor's or coordinator comments for the benefit of reviewers.

This draft uses small numbers in the right margin in lieu of change bars. 'Þ'' denotes changes from Draft 12 to Draft 13. Per request of the working group, I have removed all old diff-marks from Drafts 3 through 12. Purely editorial changes such as grammar, spelling, cross references, or removals of editorial notes are not diff-marked. Unfortunately, it is not possible to accurately diff-mark the figures. D D D

To make draft handling in the meetings easier, each significant clause is set up to print starting on a recto page. This means that there is a larger number of blank pages than in previous drafts (assuming that the copy room handled the print master correctly). Just doing our bit for deforestation ...

This draft has not yet been converted to use proper normative reference and bibliographic entries and cross references. Since this will entail a large amount of detailed work, I have been awaiting some degree of text stability. For Draft 13, three major sections were replaced in their entirety (and, interestingly enough, all three were received approximately one month after the input cutoff date), so I believe the required stability has not yet been achieved. D D D D D D D

Hal Jespersen D

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Editorial Contacts

Please send comments regarding the content and approach of this document to:

Fritz Schulz
Open Software Foundation
620 Herndon Parkway - Suite 200
Herndon, VA 22070
+1 (703) 481-9851
FAX: +1 (703) 437-0680
E-Mail: fschulz@osf.ORG

Please report typographical errors (and index suggestions) to:

Hal Jespersen
POSIX Software Group
447 Lakeview Way
Redwood City, CA 94062
+1 (415) 364-3410
FAX: +1 (415) 364-4498
E-Mail: hlj@Posix.COM

(Electronic mail is preferred.)

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Online Access

This draft is available in various electronic forms to assist the review process. Our thanks to Andrew Hume of AT&T Bell Laboratories for providing online access facilities. Note that this is a limited experiment in providing online access; future drafts may be provided in other forms, such as diskettes or a bulletin board arrangement, but the instructions shown here are the only methods currently available. Please also observe the additional copyright restrictions that are described in the online files.

Assuming you have access to the Internet, the scenario is approximately

```
ftp research.att.com # research's IP address is 192.20.225.2
<login as netlib; password is your email address>
cd posix/p1003.0/d13
get toc index
binary
get p11-20.Z
```

The draft is available in several forms. The table of contents can be found in `toc`, pages containing a particular section are stored under the section number, sets of pages are stored in files with names of the form `p`*n*–*m*, and the entire draft is stored in `all`. By default, files are ASCII. A `.ps` suffix indicates PostScript. A `.Z` suffix indicates a `compress`'ed file. The file `index` contains a general description of the files available.

These files are also available via electronic mail by sending a message like

```
send 3.4 4.6 6.2 from posix/p1003.0/d13
```

to `netlib@research.att.com`. If you use email, you should *not* ask for the compressed version. For a more complete introduction to this form of *netlib* , send the message

```
send help
```

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

POSIX. 0 Change History

This section is provided to track major changes between drafts. Since it was first added in Draft 10, earlier entries have been omitted.

Draft 13 [September 1991] D

— *To Be Provided* D

Draft 12 [June 1991]

— Clause 4.9: Separated OLTP model discussion into two parts: the part consistent with the POSIX OSE Model; and the ‘‘real world’’ part dealing with System Integration Interfaces. D D D D

— Section 6: Further clarified ‘‘base standard’’ and ‘‘profile’’ definitions. Renamed profile ‘‘types’’. D D

— *Additional To Be Provided* D

Draft 11 [March 1991]

— *To Be Provided*

HLJ : I don’t do this automatically because I don’t know what issues you consider important. This [very brief] text should be provided by each Section Leader along with the regular submissions. It is meant to provide casual readers of the guide (such as in WG15, where they don’t get every draft) with a broad overview of the big changes.

Draft 10 [December 1990]

— *To Be Provided*

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

IEEE Standards documents are developed within the Technical Committees of the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of the IEEE , the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, the IEEE and the members of its technical committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE Standards Board
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331

IEEE Standards documents are adopted by the Institute of Electrical and Electronics Engineers without regard to whether their adoption may involve patents on articles, materials, or processes. Such adoption does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the standards documents.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Contents

PAGE

Introduction vi
Purpose vi
The POSIX Open System Environment Reference Model vii
Goals vii
Benefits viii
Related Standards Activities ix

Section 1: General 1
1.1 Scope 1
1.2 Normative References 2
1.3 Conformance 3

Section 2: Terminology and General Requirements 5
2.1 Conventions 5
2.2 Definitions 5
2.2.1 Terminology 5
2.2.2 General Terms 6
2.2.3 Abbreviations 12

Section 3: POSIX Open System Environment 15
3.1 POSIX Open System Environment — General Requirements . . 16
3.2 POSIX Open System Environment Reference Model 18
3.3 POSIX Open System Environment Services 26
3.4 POSIX Open System Environment Standards 27
3.5 POSIX Open System Environment Profiles 30
3.6 Application Platform Implementation Considerations 30

Section 4: POSIX Open System Environment Services 35
4.1 Language Services 39
4.2 System Services 47
4.3 Network Services 67
4.4 Database Services 89
4.5 Data Interchange Services 101
4.6 Windowing System Services 109
4.7 Graphics Services 125
4.8 Character-Based User Interface Services 143
4.9 User Command Interface Services 147
4.10 Transaction Processing Services 155
4.11 Software Development Environments 167

Section 5: POSIX OSE Cross-Category Services 175

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

PAGE

5.1 Internationalization 177
5.2 System Security Services 193
5.3 Information System Management 199
5.4 Fault Management 207

Section 6: Profiles 211
6.1 Scope 211
6.2 Profile Concepts 211
6.3 Guidance to Profile Writers 214

Section 7: POSIX SP Profiling Efforts 221
7.1 Introduction 221
7.2 General Purpose POSIX SPs 221

Annex A (informative) Considerations for Developers of POSIX SPs . . . 231
A.1 Introduction 231
A.2 Scope 231
A.3 The Role of POSIX SPs 232
A.4 Special Rules for POSIX SPs 233
A.5 Other Issues 235
A.6 Conformance to a POSIX SP 236
A.7 Structure of Documentation for POSIX SPs 236
A.8 Rules for Drafting and Presentation of POSIX SPs 238

Annex B (informative) Bibliography 243

Annex C (informative) Standards Infrastructure Description 245
C.1 Introduction 245
C.2 The Formal Standards Groups 247
C.3 The Informal Standards Organizations 260

Annex D (informative) Electronic-Mail 273

Alphabetic Topical Index 275

FIGURES

Figure 3-1 – POSIX OSE Reference Model 19
Figure 3-2 – POSIX OSE Reference Model — Entities 21
Figure 3-3 – POSIX OSE Reference Model — Interfaces 23
Figure 3-4 – POSIX OSE Reference Model — Distributed Systems . . 26
Figure 3-5 – Distributed System Environment Model 27
Figure 3-6 – Service Components and Interfaces 31
Figure 3-7 – Application Platform Implementation — Subdivision . . 32
Figure 3-8 – Application Platform Decomposition II — Layering . . . 33

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Figure 3-9 – Application Platform Decomposition III — Redirection . . 33
Figure 4-1 – Language Service Reference Model 40
Figure 4-2 – System Services Reference Model 48
Figure 4-3 – Realtime Metrics 50
Figure 4-4 – POSIX Networking Reference Model 68
Figure 4-5 – ISO Networking Reference Model 71
Figure 4-6 – Relationship of ISO and POSIX OSE Network Reference Models 72
Figure 4-7 – Multiple POSIX OSE APIs to Different OSI Layers . . . 73
Figure 4-8 – Basic Network Services Model 74
Figure 4-9 – Directory Services Architecture 76
Figure 4-10 – OSI Network Services Standards 87
Figure 4-11 – The Traditional Database Model 91
Figure 4-12 – POSIX Database Reference Model 92
Figure 4-13 – Data Interchange Reference Model 102
Figure 4-14 – Windowing Reference Model 111
Figure 4-15 – Computer Graphics Reference Model Level Structure . . 128
Figure 4-16 – POSIX OSE Graphics Service Reference Model 129
Figure 4-17 – POSIX OSE Graphics Service Reference Model Standards 135
Figure 4-18 – Character-based Terminal Reference Model 144
Figure 4-19 – POSIX OSE Reference Model for Command Interfaces . 148
Figure 4-20 – The Conventional Transaction Processing Model . . . 157
Figure 4-21 – The POSIX OSE Transaction Processing Reference Model 159
Figure 4-22 – Software Development Model 169
Figure 4-23 – Software Development Reference Model 170
Figure 6-1 – Development of a Profile 219
Figure A-1 – Universe of Profiles and Standards 232
Figure C-1 – International and National Standards Bodies 247
Figure C-2 – Selected Major Standards and Standards-Influencing Bodies 248
Figure C-3 – IEEE Standards Diagram 256

TABLES

Table 4-1 – Language Standards Activities 44
Table 4-2 – System Services Standards Activities 59
Table 4-3 – Functionality of POSIX.1 Standard 60
Table 4-4 – Current Networking Standards 84
Table 4-5 – Emerging Networking Standards 85
Table 4-6 – Gaps in Networking Standards 86
Table 4-7 – Database Standards 96
Table 4-8 – Data Interchange Standards 105
Table 4-9 – Windowing Standards 121

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Table 4-10 – Shell and Utilities Standards Activities 152
Table 4-11 – Transaction Processing Standards Activities 163
Table 4-12 – Transaction Processing Standards Language Bindings . . 163
Table 4-13 – Software Development Standards Activities 172
Table 7-1 – POSIX SPs In Progress 222

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Introduction

(This Introduction is not a normative part of P1003.0 Guide to the POSIX Open Systems Environment, but is included for information only.)

Purpose

There are many standards efforts going on throughout the world today. Standards are being developed in many areas of computing technology such as:

— Electrical Connectors

— Disk Interfaces

— Network Interfaces

— Application Program Interfaces

Each standards effort typically addresses a very small portion of the overall needs of an information processing system.

This guide is an attempt bring together many different standards sufficient to address the scope of an entire information processing system. This combination of standards and specifications that are sufficient to address all of the user requirements of an information processing system is called an Open System Environment.

User requirements and standards to meet those requirements are continuously expanding. As such, this guide will need regular revision to incorporate new user requirements and the new standards that evolve to meet those user requirements.

This guide is not a standard itself; it merely identifies standards that can be used when constructing a complete information processing system.

It may never be necessary to implement an information processing system that provides every standard in the POSIX Open System Environment. Typically a subset of the standards is sufficient to satisfy the particular user requirements in each situation.

This process of selecting standards for a particular application is called profiling. Recommendations for the production of different types of profiles are included in the guide.

This guide is intended to be used by any computer user interested in using standards in their information processing systems including: consumers, systems integrators, application developers, systems providers, and procurement agencies.

Taken as a whole, the guide maps existing and emerging standards onto the general requirements of a complete information processing system. In addition to listing and categorizing existing standards efforts, the guide identifies important requirements that standards efforts have not yet addressed.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

The POSIX Open System Environment Reference Model

To describe the POSIX Open System Environment, the guide develops a reference model used to classify information processing standards. The reference model breaks standards into three general categories:

— Platform External Interface Standards—These standards affect how an information processing system interacts with its external environment. These standards affect system interoperability, user interface look and feel, and data portability.

— Application Program Interface Standards—These standards affect how application software interacts with the computer system. These standards affect application portability.

— System Integration Interface Standards—These interfaces have no direct impact on the external interface of a system or the application program interface to the system. These interfaces are between the various parts of an information processing system. These standards are very important because they allow a user to independently procure portions of their information processing systems from multiple vendors according to each user's needs.

The information processing system is broken into major component areas. Using the reference model, a general set of requirements for each component area is developed. For each of the requirements existing or emerging standards are identified that address the requirement. If a requirement is not completely met by an existing or emerging standard, this gap in the standards is noted.

Goals

There are three goals of the POSIX OSE: portability, interoperability, and user portability. (While these terms are formally defined later in this guide and within various referenced standards, the following descriptions provide an overview of their meaning.)

Portability

Portability is accomplished through the use of the respective system/application interface standards and their extensions, thus allowing a user's application to operate on a wide range of systems. It is important to note that the aforementioned phrase ''wide range of systems'' connotes diverse hardware as well as software platforms.

Using standards to provide application portability also will allow an application to be moved to systems with varying compute capabilities based on the performance needs of the application.

Interoperability

Interoperability is characterized by the cooperative operation of applications resident on dissimilar computer systems. This cooperative operation is illustrated by data and functionality exchange.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

User Portability

User portability will allow users to move from system to system and between different applications on the same system with a minimum of retraining.

Benefits

The benefits derived in the use of the POSIX Open System Environment are real and quantifiable.

Simplified Vendor Mixing System Integration

As the standards for system integration and system interoperability are produced and implemented, the users will have the choice of mixing software and equipment from multiple vendors. This will allow users to tailor their information processing system to their particular needs by selecting their hardware based on the application needs rather than its ability to interoperate with their existing equipment.

Efficient Development and Implementation

Normally, systems users and providers have development and implementation activities that utilize personnel possessing skills in a specific computer environment. As a result of this specialization, a change in the target computer environment for a developer requires significant retraining expense. As standards for application portability, system interoperability, and system integration are developed, computer personnel will begin to develop skills in working with these standards. When these standards are widely used there will be large pool of personnel who are familiar with working with the standards.

This will allow a company to hire personnel with existing skills which can be put to use in their operation. In addition, within a company, resources can be redeployed between development efforts with a minimum of retraining.

As the basic interfaces are developed and well defined, higher level standardized interfaces can be developed that add value to the basic interfaces. Using the higher level interfaces may speed development efforts.

Efficient Porting of Applications

The difficulty of moving an application from one hardware/software environment to another is widely known. The porting of an application that uses standards-based interfaces to another system that provides the same standards-based interfaces is considerably simpler than ports involving completely different systems. The amount of system tailoring (i.e., changes to either the operating or application system required to make them work well together) is greatly reduced.

Broadened Basis for Computer System Procurement Decisions

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Computer users can now select and match hardware and software components from potentially different suppliers to fulfill an application requirement. This in turn allows decisions regarding computer systems procurements to be based less upon constraints imposed by incumbent vendors' products. The basis for competition will refocus on such factors as price, quality, value-added features, performance, and support. The stimulation of competition will benefit providers and users.

Reduced Personnel Training

Both providers and users of computer systems face high training costs when they switch hardware/software environments within which their application exists. Usage of standards makes inroads into reducing the costs of retraining users of all types. Reduced training will be incurred for developers and end-users alike.

Related Standards Activities

The Standards Subcommittee of the IEEE Technical Committee on Operating Systems and Application Environments has authorized other standards activities that are related to the content of this guide.

The following areas are under active consideration at this time, or are expected to become active in the near future: [1)]

(1) Language-independent service descriptions of the POSIX.1 {2} system application program interface (API)

(2) C, Ada, and FORTRAN Language bindings to (1)

(3) Shell and Utility facilities

(4) Verification testing methods

(5) Realtime facilities

(6) Secure/Trusted System considerations

(7) Network interface facilities

(8) System Administration

(9) Graphical User Interfaces

(10) Profiles describing application- or user-specific combinations of Open Systems standards for: supercomputing, multiprocessor, and batch extensions; transaction processing; realtime systems; and multiuser systems based on historical models

---

1) A *Standards Status Report* that lists all current IEEE Computer Society standards projects is available from the IEEE Computer Society, 1730 Massachusetts Avenue NW, Washington, DC 20036-1903; Telephone: +1 202 371-0101; FAX: +1 202 728-9614. Working drafts of POSIX standards under development are also available from this office.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Extensions are approved as ‘‘amendments’’ or ‘‘revisions’’ to this document, following the IEEE and ISO/IEC Procedures.

Approved amendments are published separately until the full document is reprinted and such amendments are incorporated in their proper positions.

If you have interest in participating in the TCOS working groups addressing these issues, please send your name, address, and phone number to the Secretary, IEEE Standards Board, Institute of Electrical and Electronics Engineers, Inc., P.O. Box 1331, 445 Hoes Lane, Piscataway, NJ 08855-1331, and ask to have this forwarded to the chairperson of the appropriate TCOS working group. If you have interest in participating in this work at the international level, contact your ISO/IEC national body.

P1003.0 was prepared by the 1003.0 working group, sponsored by the Technical Committee on Operating Systems and Application Environments of the IEEE Computer Society. At the time this standard was approved, the membership of the 1003.0 working group was as follows:

Technical Committee on Operating Systems and Application Environments (TCOS)

Chair: Jehan-Franc ,ois Pâris

TCOS Standards Subcommittee

Chair:	Jim Isaak
Vice Chairs:	Ralph Barker
	Robert Bismuth
	Hal Jespersen
	Lorraine Kevra
	Pete Meier
Treasurer:	Quin Hahn
Secretary:	Shane McCarron

1003.0 Working Group Officials

Chair:	Allen Hankinson
Vice Chair:	Kevin Lewis
Document Editor:	Hal Jespersen (sponsored by Mike Lambert)
Technical Editor:	Fritz Schulz
Secretary:	Charles Severance

Working Group

<*Name to be provided*> <*Name to be provided*> <*Name to be provided*>

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

The following persons were members of the 1003.0 Balloting Group that approved the standard for submission to the IEEE Standards Board:

<Name > *<Institution>* *Institutional Representative*

<Name to be provided> *<Name to be provided>* *<Name to be provided>*

When the IEEE Standards Board approved this standard on *<date to be provided>* , it had the following membership:

(to be pasted in by IEEE)

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Guide to the POSIX Open System s Environment

Section 1: General

Responsibility: Kevin Lewis

1.1 Scope

This guide identifies parameters for an open system environment using the POSIX operating system/application interface as the platform. These parameters are determined in three basic ways:

(1) By specifying building blocks identified as components

Currently these components are: system services, networking, human/computer interaction (HCI), graphics, system security and privacy, database, data interchange, and language requirements. This guide identifies the standards required within each component to achieve the goals of a POSIX open system.

(2) By identifying intra- and intercomponent issues

These issues involve the relationships that should exist between and among the different components. It is in the attempt to lay out and address these relationships that the concept of profiles (see 2.2.2 and Section 6) arises.

(3) By identifying voids

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.